

Verona Range



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: hdr@nt-rt.ru || www.henrad.nt-rt.ru

Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Verona Single Plane



Verona Single Plane

Height mm	Length mm	Henrad Code	Heat emissions	
			Watts	Btu/hr
588	500	248363	500	1706
	600	248364	599	2044
	700	248365	699	2385
	800	248366	799	2727
	1000	248368	999	3409
	1200	248370	1199	4092
	1400	248371	1399	4775
	1600	248372	1598	5452
	1800	248373	1798	6135
	2000	248374	1998	6817

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Double Plane



Verona Double Plane

Height mm	Length mm	Henrad Code	Heat emissions	
			Watts	Btu/hr
588	600	248415	992	3385
	700	248416	1158	3951
	800	248417	1323	4514
	900	248418	1489	5080
	1000	248419	1654	5643
	1200	248421	1985	6773
	1400	248422	2316	7902
	1600	248423	2646	9028
	1800	248424	2977	10158
	2000	248425	3308	11287

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Vertical



Working pressure:
Tested to withstand 4.6 bar



Verona Vertical

Height mm	Length mm	Henrad Code	Heat emissions	
			Watts	Btu/hr
1800	440	248340	780	2662
	588	248341	1040	3549
	736	248342	1300	4436
2000	440	248343	870	2969
	588	248344	1160	3959
	736	248345	1450	4947

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Range



Verona Lo-Line



Verona Lo-Line

Height mm	Length mm	Henrad Code	Heat emissions	
			Watts	Btu/hr
144	800	248581	530	1809
	1400	248311	928	3166
	2000	248314	1326	4524
	2200	248315	1459	4979
292	2200	248323	2468	8423

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.



Verona Slimline

Height mm	Length mm	Henrad Code	Heat emissions	
			Watts	Btu/hr
1800	320	248300	872	2976
	440	248301	1199	4092
	520	248302	1417	4836
	640	248303	1744	5952
2000	320	248304	978	3338
	440	248305	1344	4587
	520	248306	1589	5423
	640	248307	1956	6675

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



Technical Data



Henrad Verona

Wall Mounting Information

All dimensions in mm.



Henrad Verona Plane

Henrad Verona Vertical




Type	From back of radiator to wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Plane Single	9	44	69
Verona Plane Double	27	94	119
Verona Vertical	25	44	70

Henrad Verona Slimline



Type	Back face to finished wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Slimline	35	50	130

Henrad Verona Lo-line



Height mm	Width mm	X mm
144	800	250
144	1000	350
144	1200	450
144	1400	550
144	1600	650
144	1800	750
144	2000	850
144	2200	950

Архангельск (8182)63-90-72
 Астана +7(7172)727-132
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81
 Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93